


## ECO-FRIENDLY SYNTHESIS OF NEW THIAZOLE ANCHORED N'-BENZYLIDENE CARBOHYDRAZIDE DERIVATIVES

~~Prashant Sandage~~<sup>1</sup>, Hemant N. Akolkar<sup>2</sup>, Dilip R. Thube<sup>1\*</sup> And Bhausahab K. Karale<sup>2\*</sup>  
<sup>1</sup>Department of Chemistry, Ahmednagar Jilha Maratha Vidya Prasarak Samaj's New Arts, Commerce and Science College, Savitribai Phule Pune University, Parner, Ahmednagar, India  
<sup>2</sup>Department of Chemistry, Rayat Shikshan Sanstha's Radhabai Kale Mahila Mahavidyalaya, Savitribai Phule Pune University, Ahmednagar, India  
 Email: drthube@rediffmail.com

### Abstract

The 2-(4-chlorophenyl)-4-methylthiazole-5-carbohydrazide 3 and aromatic aldehyde 4 were heated together in alcohol under ultra-sonication to get new series of thiazolyl benzylidene carbohydrazide 5A-K. Structures of newly synthesized compounds were verified by spectral and elemental analysis. Eco-friendly, excellent yield with shorter time are the benefits of the method.



### Key Words

Benzylidene carbohydrazide, Thiazole, Ultra Sonicator irradiations,

### Introduction

Environmental pollution can be minimized by applying green chemistry principles [1]. Ultrasound effect is an acoustic wave cavitation, which accelerates organic reactions [2]. Ultra-sonication irradiation is one of the eco-friendly approaches with little time. On application of ultrasound waves, increase in reaction rates and yields improved [3]. Ultrasound irradiation has been employed to hasten number of synthetic organic reactions [4]. For design of new drug, heterocyclic compound plays vital role due to their worthy biological potential. 1,3-thiazole a five membered heterocyclic compound bearing sulfur and nitrogen in the ring. Thiazole derivatives are found to possess wide range biological properties including antimicrobial [5] antitubercular [6], antitumor [7], anti-inflammatory [8], anti-HIV [9], antioxidant [10], anticonvulsant [11] and anticancer [12].

Carbohydrazide compounds containing active fragment (-CONHN=CH-) generally exist in drug molecules. Carbohydrazide derivatives are known to have broad range biological activities such as anticancer [13], anti HIV [14], antitubercular [15], anti-inflammatory [16], antimalarial [17], and antimicrobial [18]. Above synthetic and biological importance of thiazole and carbohydrazide, promoted us to synthesize a new series of thiazolyl benzylidene carbohydrazide.

### Results And Discussion