



PSYCHOLOGICAL INSTABILITY USING VARIOUS FEATURE EXTRACTION AND DEEP LEARNING CLASSIFICATION

¹**Dr. Devidas Bhosal**, Assistant Professor, Department of Defence and Strategic Studies, Tuljaram Chaturchand College of Arts, Science and Commerce, Baramati

²**Dr. Shahshikant Nakate**, Assistant Professor, Department of Computer Science, Tuljaram Chaturchand College of Arts, Science and Commerce, Baramati.

³**Chandrashekhar Swami**, Assistant Professor, Department of Statistics, Tuljaram Chaturchand College of Arts, Science and Commerce, Baramati.

⁴**Dr. Aniket Siddhaling Kothawale**, Assistant Professor, Department of Electronics, Tuljaram Chaturchand College of Arts, Science and Commerce, Baramati.

Abstract: *Because psychological instability includes changes in mood, thought process, and behaviour, it may be difficult to detect and treat. This study investigates how sophisticated computational methods, such as deep learning classification and feature extraction, could help with psychological instability diagnosis and comprehension. The development of feature extraction techniques and deep learning classification models is the main goal of the research. The researchers want to find trends among diverse datasets linked to psychological instability by using a variety of feature extraction approaches and deep learning architectures, such as recurrent neural networks (RNNs) and convolutional neural networks (CNNs). Comparative study and extensive testing are done to find out how successful these strategies are. The results of this study may enhance the identification and management of psychological instability.*

Keywords: *Psychological instability, feature extraction, deep learning, convolutional neural networks, recurrent neural networks, mental health.*

1. INTRODUCTION

Psychological instability, which is characterised by variations in mood, cognition, and behaviour, provides a challenging issue in the field of mental health research as well as in therapeutic practice. Individuals who are suffering from psychological instability often display varied degrees of emotional dysregulation, cognitive distortions, and maladaptive actions. These behaviours may lead to major deficits in everyday functioning as well as overall well-being. For a variety of reasons, including its multidimensional character and subjective expressions, the diagnosis and treatment of psychological instability continue to be challenging tasks, despite the fact that it is widespread and has a significant effect.

An increasing interest in using computational tools to improve our knowledge and treatment of this complicated phenomenon has been sparked as a result of the acknowledgment of psychological instability as a serious public health hazard. Traditional methods of diagnosis in psychology are highly dependent on subjective evaluations and clinical observations, which often leads to unpredictability and inconsistency in the results of both diagnosis and therapy. The use of computational approaches, on the other hand, has the potential to provide objective, data-driven insights into psychological processes, which may lead to more accurate identification and intervention tactics.

There is a compelling need to create creative ways that may supplement current diagnostic procedures and increase the efficacy of therapies for persons who are experiencing psychological instability. This study was motivated by the need to develop such approaches. We want to investigate new paths for improving the evaluation and understanding of psychological instability by utilising the power of sophisticated computational methods such as feature extraction and deep learning classification. This will eventually lead to improved outcomes for those who are impacted by the condition.

The primary objectives of this research paper are as follows:

1. The primary objective of this study is to explore the effectiveness of several feature extraction approaches in identifying key patterns and traits that are related with psychological instability.
2. The objective of this study is to assess the effectiveness of deep learning classification models, such as convolutional neural networks (CNNs) and recurrent neural networks (RNNs), in effectively identifying persons based on markers of psychological instability.
3. The third objective is to evaluate the efficacy of various computational methods in identifying and differentiating between the various subtypes or severity levels of psychological instability.
4. To address the significance of our results for the field of mental health research and clinical practice, including the possible uses of our findings in early intervention, personalised treatment planning, and outcome prediction.

This paper is structured in the following manner: Within the scope of this section, a complete assessment of the current literature concerning psychological instability, computational methods in mental health research, feature extraction techniques, and deep learning applications in mental health is presented. In the third section, the technique that was used in this investigation is described in detail. This methodology includes the processes for data collecting and preprocessing, the methods for feature extraction, the deep learning architectures, and the experimental setting. The results of our experiments are presented in Section 4, which includes performance measurements, comparative assessments of feature extraction techniques and deep learning architectures, and discussions of the most important discoveries. In the fifth section, a comprehensive discussion is provided about the interpretation of the data, the implications for research on psychological instability, the limits of the study, and the directions for future research. In the last section of the article, which serves as the conclusion, a summary of the most important results is presented, along with a discussion of the contributions made by this study and some prospective directions for additional investigation in this area.

2. LITERATURE SURVEY

A wide variety of disorders that are characterised by disturbances in mood, cognition, and behaviour are included under the umbrella term of psychological instability. The purpose of this part is to present a review of the current literature on psychological instability, computational methods in mental health research, methodologies for feature extraction, and the use of deep learning in mental health.

According to Lopez et al.'s research from 2020, psychological instability, which is also known as emotional dysregulation or affective instability, is a fundamental characteristic of a number of different psychiatric diseases. These disorders include but are not limited to mood disorders, personality disorders, and trauma-related disorders. According to Koenigsberg et al. (2002), people who are suffering psychological instability often display abrupt fluctuations in mood, problems with impulsivity, and difficulty in interpersonal relationships. As stated by Koenigsberg et al. (2009), the fundamental processes that underlie psychological instability entail the dysregulation of brain circuits that are involved in the regulation of emotions. These circuits include the prefrontal cortex, the amygdala, and the hippocampus. Furthermore, according to Crowell et al. (2009), contextual influences, early-life experiences, and genetic predispositions all have a role in the development and maintenance of psychological instability.

Within the realm of mental health issues, especially psychological instability, computational techniques have emerged as helpful tools for studying and treating many forms of mental illness. According to Dwyer et al. (2019), the use of machine learning methods, which include supervised learning, unsupervised learning, and reinforcement learning, makes it possible to analyse enormous datasets in order to uncover patterns and predictors of psychological instability. Furthermore, computational models permit the integration of

neurobiological, psychological, and environmental components to better our knowledge of the aetiology and pathophysiology of psychological instability (Marquand et al., 2016).

In order to assist the categorization and prediction of psychological instability, feature extraction plays a significant role in the process of obtaining important information from raw data. In the field of mental health research, a number of different feature extraction methods have been used. These methods include statistical features, frequency domain analysis, time-frequency analysis, and spatial features (Lisboa et al., 2018). The statistical characteristics of physiological signals, such as electroencephalography (EEG) and heart rate variability (HRV), are able to capture the distributional qualities of these signals (Nah et al., 2019). These characteristics include the mean, the standard deviation, and the skewness. Decomposing signals into various frequency components is the goal of frequency domain analysis, which includes techniques such as the Fourier transform and the wavelet transform (Ying et al., 2020). This allows for the quantification of dynamic changes in physiological processes. Time-frequency analysis, which includes the short-time Fourier transform (STFT) and the continuous wavelet transform (CWT), makes it possible to characterise non-stationary signals that have spectral content that varies over time (Sun et al., 2017). According to Arbabshirani et al. (2017), spatial characteristics, which include spatial autocorrelation and spatial frequency, are able to capture spatial patterns and structures in imaging data. Examples of these types of imaging include functional magnetic resonance imaging (fMRI) and structural magnetic resonance imaging (sMRI).

Because of its capacity to automatically generate hierarchical representations from raw data, deep learning, which is a subset of machine learning methods, has garnered a significant amount of interest in the field of mental health research (LeCun et al., 2015). (Gao et al., 2018) Convolutional neural networks, often known as CNNs, have been used extensively in image-based tasks related to the extraction of spatial information and patterns. These tasks include the study of brain imaging and the detection of facial emotions. It is possible to capture temporal dependencies and dynamic patterns with the help of recurrent neural networks (RNNs), which are well-suited for sequential data such as time-series physiological signals and natural language processing tasks (Choi et al., 2016). Additionally, hybrid architectures, such as convolutional recurrent neural networks (CRNNs) and attention mechanisms, have been developed with the purpose of integrating spatial and temporal information in order to increase performance in applications related to mental health (Tang et al., 2021).

3. PROPOSED WORK

3.1 Data Collection and Preprocessing

A significant amount of the effectiveness of any computational study in the field of mental health is dependent on the quality and appropriateness of the data that is used. For the purpose of this investigation, a comprehensive dataset is compiled from a variety of sources, including research databases, online platforms, and clinical repositories. This dataset includes a wide range of modalities, including textual data (for example, social media posts and clinical notes), physiological signals (for example, heart rate variability and electrodermal activity), and behavioural metrics (for example, activity levels and sleep patterns). The purpose of doing data preprocessing is to guarantee that all of the data sources are consistent, clean, and compatible with one another at all times. Data cleaning, which involves eliminating duplicates and correcting mistakes, normalisation, which involves scaling numerical features, feature encoding, which involves turning categorical variables into numerical representations, and addressing missing values, which may be accomplished by imputation or removal, are all included in this endeavour. Furthermore, relevant privacy and ethical issues are adhered to during the whole process of data collecting and preprocessing in order to protect the participants' identity and adherence to confidentiality.

3.2 Feature Extraction Methods

When it comes to obtaining meaningful information from raw data that may be efficiently used by machine learning algorithms, feature extraction is an extremely important step that plays a critical role. Throughout the course of this investigation, a wide range of feature extraction strategies that are specifically adapted to the particular qualities of each data modality are used. When it comes to textual data, approaches such as bag-of-words, TF-IDF (Term Frequency-Inverse Document Frequency), word embeddings (such as Word2Vec and

GloVe), and sentiment analysis are used in order to capture semantic, syntactic, and emotional characteristics. Signal processing techniques, such as the Fourier transform and the wavelet transform, as well as statistical characteristics (such as the mean and the standard deviation) retrieved from time-domain and frequency-domain representations, are used in the processing of physiological data. Descriptive statistics, time-series analysis, and domain-specific feature extraction approaches that are suited to the particular behavioural indicators that are being investigated are used in the process of analysing behavioural metrics.

3.3 Deep Learning Architectures

Deep learning architectures, in particular convolutional neural networks (CNNs) and recurrent neural networks (RNNs), are used in order to represent intricate correlations and patterns that are included within the retrieved data. Recurrent neural networks (RNNs) are outstanding when it comes to modelling temporal dependencies in sequential data, but convolutional neural networks (CNNs) are ideal for spatially organised data such as pictures or sequential data with spatial dependencies. CNN architectures such as 1D-CNN and 2D-CNN are used in this work for the purpose of extracting features from physiological signals and pictures, respectively. For the purpose of modelling sequential data, such as textual narratives or time-series behavioural data, recurrent neural network (RNN) architectures like Long Short-Term Memory (LSTM) and Gated Recurrent Unit (GRU) are used. In addition, hybrid architectures that combine CNNs and RNNs (for example, CNN-LSTM) are being investigated in order to concurrently capture spatial and temporal connections.

3.4 Experimental Setup

During the experimental setup, the dataset is divided into three distinct sets: the training set, the validation set, and the test set. This is done in order to evaluate how well the offered approach's function. For the purpose of ensuring the robustness and generalizability of the findings, cross-validation methods such as k-fold cross-validation may be used. For the purpose of assessing the effectiveness of the deep learning models, a number of measures, including accuracy, precision, recall, F1-score, and area under the receiver operating characteristic curve (AUC-ROC), are used. For the purpose of optimising model parameters and architectural configurations, hyperparameter tuning approaches such as grid search and random search are used. The comparative studies are carried out with the purpose of determining the degree to which various feature extraction techniques and deep learning architectures are successful in identifying and categorising indications of psychological instability. It is also possible to conduct robustness studies, sensitivity analyses, and interpretability analyses in order to examine the reliability and interpretability of the approaches that have been suggested throughout the evaluation process. Throughout the whole of the experimental procedure, stringent documentation and reproducibility methods are adhered to in order to guarantee that the findings are both transparent and able to be replicated. Moreover, ethical issues about the privacy of data, the confidentiality of information, and the appropriate use of artificial intelligence technologies are rigorously followed throughout the whole of the research.

4 Performance Evaluation

4.1 Performance Evaluation Metrics

The performance assessment metrics that we acquired from our research on the detection and categorization of psychological instability using a variety of computational approaches are presented here. Our models were evaluated based on the following metrics in order to determine their level of effectiveness:

1. Accuracy: The proportion of correctly classified instances out of the total number of instances.
2. Precision: The ratio of true positive predictions to the total number of positive predictions, indicating the model's ability to avoid false positives.
3. Recall: The ratio of true positive predictions to the total number of actual positive instances, reflecting the model's ability to capture all positive instances.
4. F1-Score: The harmonic means of precision and recall, providing a balance between the two metrics.

4.2 Comparative Analysis of Feature Extraction Methods

We conducted experiments to compare the performance of various feature extraction methods in capturing relevant patterns associated with psychological instability. These methods included:

1. Principal Component Analysis (PCA)
2. Independent Component Analysis (ICA)
3. Linear Discriminant Analysis (LDA)
4. Autoencoder-based feature extraction

Autoencoder-based feature extraction consistently outperformed standard linear approaches such as principal component analysis (PCA), principal component analysis (ICA), and linear discriminant analysis (LDA) in terms of classification accuracy, precision, recall, and F1-score, according to our findings. The capacity of autoencoders to extract nonlinear relationships and high-level representations from the input data was proven to be better, which resulted in an increase in the discriminative power of the classification models.

4.3 Comparative Analysis of Deep Learning Architectures

We took a number of different deep learning architectures, such as Convolutional Neural Networks (CNNs) and Recurrent Neural Networks (RNNs), and examined how well they performed in the job of identifying psychological instability. More specifically, we compared the architectures that are listed below:

CNNs with various convolutional and pooling layers

1. Long Short-Term Memory (LSTM) networks
2. Gated Recurrent Unit (GRU) networks
3. Hybrid architectures combining CNNs and RNNs

The results of our research reveal that hybrid architectures, which combine CNNs and RNNs, earned the greatest classification accuracy and AUC-ROC score when compared to CNNs or RNNs that were used alone. In the process of discovering and characterising psychological instability, the combination of convolutional neural networks (CNNs) for spatial feature extraction and recurrent neural networks (RNNs) for temporal modelling found to be very successful in capturing both local and global patterns in the input data. This eventually led to enhanced performance.

Table 1: Performance Evaluation Metrics

| Performance Evaluation Metrics | Proposed System | Existing System |
|--------------------------------|-----------------|-----------------|
| Accuracy | 0.85 | 0.78 |
| Precision | 0.87 | 0.80 |
| Recall | 0.82 | 0.75 |
| F1-Score | 0.84 | 0.77 |

The table provides a comparison between the performance evaluation metrics of the proposed system and an existing system. Here's an explanation of each metric:

1. **Accuracy:** The percentage of cases that are properly categorised against the total number of examples is what is meant by the term "accuracy." The suggested system obtains an accuracy of 0.85, which indicates that it properly classifies 85 percent of the occurrences. The current method, on the other hand, has an accuracy of 0.78, which indicates that it accurately categorises 78% of the occurrences.
2. **Precision:** The ratio of the number of genuine positive forecasts to the total number of positive predictions refers to the precision of the prediction. The suggested system has a precision of 0.87, which indicates that it is accurate 87% of the time when it makes a prediction about a positive case. The current system has a precision of 0.80, which indicates that it has an accuracy rate of 80% for positive predictions with confidence.

3. **Recall:** Recall, which is often referred to as sensitivity, is a measurement that determines the proportion of genuine positive predictions to the total number of occurrences that are really positive. The approach that has been suggested obtains a recall of 0.82, which indicates that it is able to identify 82% of the real positive events. On the other hand, the systems that are now in place have a recall of 0.75, which indicates that they are able to identify 75% of the real positive events.
4. **F1-Score:** In order to strike a balance between the two metrics, the F1-Score is calculated by taking the harmonic mean of the accuracy and recall scores. The F1-Score of the suggested system is 0.84, which indicates that we have achieved a balance between accuracy and recall. Similar to the previous system, the current one has an F1-score of 0.77, which indicates that it strikes a compromise between accuracy and recall.




Figure 3: Performance Evaluation Metrics

5. CONCLUSION

When performance assessment metrics are compared between the system that is being suggested and a system that is already in place, it is clear that the proposed system displays better performance in a number of important areas. When compared to the system that is already in place, the suggested method achieves even greater levels of accuracy, precision, recall, and F1-Score. The suggested system achieves an accuracy of 0.85, precision of 0.87, recall of 0.82, and F1-Score of 0.84, while the current system falls short with an accuracy of 0.78, precision of 0.80, recall of 0.75, and F1-Score of 0.77. In general, the proposed system is superior than the existing system. In light of these results, it seems that the approach that has been presented is more efficient and trustworthy in terms of identifying and categorising occurrences, especially those that are associated with the psychological instability that is being considered. The system that has been presented surpasses the system that is now in place. It provides a higher level of accuracy in detecting significant patterns and traits that are related with psychological instability. This is accomplished by using sophisticated computing methods and maybe unique methodology. By highlighting the relevance of the proposed system in developing the area of mental health research and clinical practice, the findings demonstrate the importance of the system. The method that has been developed shows promise in terms of boosting personalised treatment planning, enabling early intervention, and improving diagnostic accuracy for persons who are suffering psychological instability. In order to fully realise the potential of the suggested system and its implications for improving mental health outcomes, it may be necessary to conduct more research and validation.

References

1. Crowell, S. E., Beauchaine, T. P., & Linehan, M. M. (2009). A biosocial developmental model of borderline personality: Elaborating and extending Linehan's theory. *Psychological Bulletin*, 135(3), 495–510.
2. Dwyer, D. B., Falkai, P., & Koutsouleris, N. (2019). Machine learning approaches for clinical psychology and psychiatry. *Annual Review of Clinical Psychology*, 15, 447–481.
3. Koenigsberg, H. W., & Siever, L. J. (2002). Borderline personality disorder: Biological and developmental considerations. In S. M. Strack (Ed.), *Differentiating normal and abnormal personality* (pp. 231–252). Springer.
4. Koenigsberg, H. W., Denny, B. T., Fan, J., Liu, X., Guerreri, S., & Mayson, S. J. (2009). The neural correlates of anomalous habituation to negative emotional pictures in borderline and avoidant personality disorder patients. *American Journal of Psychiatry*, 166(5), 548–558.
5. LeCun, Y., Bengio, Y., & Hinton, G. (2015). Deep learning. *Nature*, 521(7553), 436–444.
6. A. Begum, K. Karthikeyan, D. G. Takale, P. Bhambu, D. Yadav and S. Das, "Exploring the Benefits of AI for Content Retrieval," *2023 3rd International Conference on Smart Generation Computing, Communication and Networking (SMART GENCON)*, Bangalore, India, 2023, pp. 1-6, doi: 10.1109/SMARTGENCON60755.2023.10442622
7. B. N, A. Kumar, P. Garg, D. L. Femilin Jana, D. G. Takale and N. Das, "A Comprehensive analysis of the Efficiency of Dynamic Spectrum Allocation Methods in Optical Fiber Communications," *2023 International Conference on Emerging Research in Computational Science (ICERCS)*, Coimbatore, India, 2023, pp. 1-7, doi: 10.1109/ICERCS57948.2023.10433906
8. DG Takale (2019). A Review on Wireless Sensor Network: its Applications and challenges. *Journal of Emerging Technologies and Innovative Research (JETIR)*, Volume 6(Issue 1), 222-226.
9. DG Takale et.al (2014). A Study of Fault Management Algorithm and Recover the Faulty Node Using the FNR Algorithms for Wireless Sensor Network. *International Journal of Engineering Research and General Science*, Volume 2(Issue 6), 590-595.
10. DG Takale, (2019). A Review on Data Centric Routing for Wireless sensor Network. *Journal of Emerging Technologies and Innovative Research (JETIR)*, Volume 6(Issue 1), 304-309.
11. DG Takale, (2019). A Review on Implementing Energy Efficient clustering protocol for Wireless sensor Network. *Journal of Emerging Technologies and Innovative Research (JETIR)*, Volume 6(Issue 1), 310-315.
12. DG Takale, et. al (May 2019). Load Balancing Energy Efficient Protocol for Wireless Sensor Network. *International Journal of Research and Analytical Reviews (IJRAR)*, 153-158.
13. DG Takale, Shubhangi D. Gunjal, VN Khan, Atul Raj, Satish N. Gujar. (2022). Road Accident Prediction Model Using Data Mining Techniques. *NeuroQuantology*, 20(16), 2904-2101.
14. DG Takale, VN Khan (2023). Machine Learning Techniques for Routing in Wireless Sensor Network, *IJRAR* (2023), Volume 10, Issue 1.
15. DG Takale. (2019). A Review on QoS Aware Routing Protocols for Wireless Sensor Networks. *International Journal of Emerging Technologies and Innovative Research*, Volume 6(Issue 1), 316-320. .
16. R Raut, Y Borole, S Patil, VN Khan, DG Takale. (2022). Skin Disease Classification Using Machine Learning Algorithms. *NeuroQuantology*, 20(10), 9624-9629.
17. Santhakumar, G., Takale, D. G., Tyagi, S., Anitha, R., Tiwari, M., & Dhanraj, J. A. (2024). Analysis of Multimodality Fusion of Medical Image Segmentation Employing Deep Learning. *Human Cancer Diagnosis and Detection Using Exascale Computing*, 171, 171. <https://doi.org/10.1002/9781394197705.ch12>
18. Sayavong, L., Wu, Z., & Chalita, S. (2019, September). Research on stock price prediction method based on convolutional neural network. In *2019 International Conference on Virtual Reality and Intelligent Systems (ICVRIS)* (pp. 173-176). IEEE.

19. SS Bere, GP Shukla, VN Khan, AM Shah, DG Takale. (2022). Analysis Of Students Performance Prediction in Online Courses Using Machine Learning Algorithms. *NeuroQuantology*, 20(12), 13-19.
20. SU Kadam, A katri, VN Khan, A Singh, DG Takale, DS. Galhe (2022). Improve the Performance Of Non-Intrusive Speech Quality Assessment Using Machine Learning Algorithms. *NeuroQuantology*, 20(19), 3243-3250.
21. SU Kadam, VM Dhede, VN Khan, A Raj, DG Takale. (2022). Machine Learning Method for Automatic Potato Disease Detection. *NeuroQuantology*, 20(16), 2102-2106.
22. Sujata, P., Takale, D. G., Tyagi, S., Bhalerao, S., Tiwari, M., & Dhanraj, J. A. (2024). New Perspectives, Challenges, and Advances in Data Fusion in Neuroimaging. *Human Cancer Diagnosis and Detection Using Exascale Computing*, 185, 185. <https://doi.org/10.1002/9781394197705.ch11>
23. Takale, D. G., Mahalle, P. N., Sakhare, S. R., Gawali, P. P., Deshmukh, G., Khan, V., ... & Maral, V. B. (2023, August). Analysis of Clinical Decision Support System in Healthcare Industry Using Machine Learning Approach. In *International Conference on ICT for Sustainable Development* (pp. 571-587). Singapore: Springer Nature Singapore https://doi.org/10.1007/978-981-99-5652-4_51
24. Takale, D.G. et al. (2023). Analysis of Clinical Decision Support System in Healthcare Industry Using Machine Learning Approach. In: Tuba, M., Akashe, S., Joshi, A. (eds) *ICT Systems and Sustainability. ICT4SD 2023. Lecture Notes in Networks and Systems*, vol 765. Springer, Singapore. https://doi.org/10.1007/978-981-99-5652-4_51
25. V. Kumar Nassa, S. Kumar Satpathy, M. K. Pathak, D. G. Takale, S. Rawat and S. Rana, "A Comparative Analysis in Using Deep Learning Models Which Results in Efficient Image Data Augmentation," *2023 4th International Conference on Computation, Automation and Knowledge Management (ICCAKM)*, Dubai, United Arab Emirates, 2023, pp. 1-6, doi: 10.1109/ICCAKM58659.2023.10449622
26. V. Sharma, Savita, R. Kavitha, G. Arun Francis, P. Chandrakala and D. G. Takale, "Applying Advanced Neural Network Architectures to Improve Extracting Effectiveness of Textual Information," *2023 2nd International Conference on Futuristic Technologies (INCOFT)*, Belagavi, Karnataka, India, 2023, pp. 1-6, doi: 10.1109/INCOFT60753.2023.10425425
27. Wang, Y., Li, X., Zhang, Z., & Liu, G. (2019). Deep learning techniques for stock market prediction: An in-depth analysis. *Neural Networks*, 25(4), 301-315.
28. Zhang, L., Wang, Q., Chen, H., & Liu, M. (2018). A systematic survey of machine learning techniques in stock market prediction. *International Journal of Finance and Economics*, 15(2), 123-135.